RUPRI Center for Rural Health Policy Analysis *Rural Data Brief*

Brief No. 2020-2

AUGUST 2022

http://www.public-health.uiowa.edu/rupri/


Confirmed COVID-19 Cases, Metropolitan and Nonmetropolitan Counties

Fred Ullrich, BA; and Keith Mueller, PhD

Report

Early COVID-19 focus was on major metropolitan areas, but rural areas of the United States have also been hit hard by the pandemic. As of August 15, 2022, there were a total of 91,256,897 cases and 1,019,200 deaths identified in counties, with 12,817,415 cases and 184,655 deaths (about 14.0 percent of cases and 18.1 percent of deaths) reported in non-metropolitan counties (data obtained from the Johns Hopkins University COVID-19 Data Repository*).

Map 1. Counties with confirmed COVID-19 Cases



Rural Policy Research Institute (RUPRI) University of Iowa, College of Public Health Data source: Johns Hopkins University CSSE COVID-19 Data https://github.com/CSSEGISandData/COVID-19



www.ruralhealthresearch.org

This project was supported by the Federal Office of Rural Health Policy (FORHP), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services

(HHS) under cooperative agreement/grant #1U1GRH07633 and #U1C RH20419. The information, conclusions and opinions expressed in this policy brief are those of the authors and no endorsement by FORHP, HRSA, HHS is intended or should be inferred.



RUPRI Center for Rural Health Policy Analysis, University of Iowa College of Public Health, Department of Health iverside Dr. Jova City, IA

Management and Policy, 145 Riverside Dr., Iowa City, IA 52242-2007, (319) 384-3830 http://www.public-health.uiowa.edu/rupri

http://www.public-health.uiowa.edu/rupri E-mail: cph-rupri-inquiries@uiowa.edu But as many experts have pointed out, the rate of growth in cases is very different depending on location. Further, the stress on the health care delivery system is proportionate – a small number of cases creates stress for low-capacity systems just as a large volume of cases creates stress for larger capacity systems.

Note that this document reports on <u>confirmed</u> COVID-19 cases and those numbers will be affected by the availability and utilization of testing resources. Recent and **updated maps**, and the "progression" of cases throughout the country, can be seen on the animated map on the RUPRI Health web site:

http://ruprihealth.org/publications/policybriefs/2020/COVID History/

Map 1 (above) displays the rates of confirmed COVID-19 cases in metropolitan and nonmetropolitan counties. Table 1 shows metropolitan and nonmetropolitan county confirmed case and death counts. It also depicts the rate of cases and deaths per 10,000 population (based on the 2018 American Community Survey 5-year estimates). Finally, it shows the number and proportion of metropolitan and nonmetropolitan counties exceeding various case and death rate levels. Map 2 displays the rates of COVID-19 deaths in metropolitan and nonmetropolitan counties.

	Metropolitan	Nonmetropolitan
Counties (total)	1,166	1,976
Population (2010 census)	276,820,000	46,082,565
Counties w/ confirmed cases	1,165 (99.9%)	1,972 (99.8%)
Counties w/ deaths	1,165 (99.9%)	1,960 (99.2%)
Confirmed cases	78,439,482 (28.3%)	12,817,415 (27.8%)
Deaths	834,545 (0.3%)	184,655 (0.4%)
Cases/10K population	2,834	2,781
Deaths/10K population	30.15	40.07
Counties w/ 1000+ cases/10K	1,162 (99.7%)	1,967 (99.5%)
Counties w/ 1500+ cases/10K	1,154 (99.0%)	1,933 (97.8%)
Counties w/ 2000+ cases/10K	844 (72.4%)	1,228 (62.1%)
Counties w/ 5+ deaths/10K	1,165 (99.9%)	1,949 (98.6%)
Counties w/ 10+ deaths/10K	1,152 (98.8%)	1,912 (96.8%)
Counties w/ 25+ deaths/10K	846 (72.6%)	1,655 (83.8%)
Counties w/ 50+ deaths/10K	116 (9.9%)	591 (29.9%)

Table 1. Metropolitan and Nonmetropolitan Counties. Confirmed cases, deaths, and rates

Data sources: COVID-19 case and death data from the <u>COVID-19 Data Repository by the Center for Systems</u> <u>Science and Engineering (CSSE) at Johns Hopkins University</u>. Population data from the 2018 American Community Survey 5-yr estimates.

*COVID-19 case and death data for this ongoing report were previously obtained from <u>USAFacts.org.</u> Reports after 8/15/2020 use data from the <u>COVID-19 Data Repository by the Center for Systems Science and Engineering</u> (<u>CSSE</u>) at Johns Hopkins University</u>. Similarly, previous reports had used population data from the U.S. 2010 decennial Census. Current reports utilize data from the Census Bureau's 2018 American Community Survey 5year population estimates.

Additional changes were made to the report starting 4/26/2021 to better account for the Utah practice of providing aggregated incidence and mortality data for less populous counties.

All data in this brief are based on county-level counts to facilitate metropolitan/nonmetropolitan reporting. Cases and deaths that could not be attributed to a county are excluded. North Dakota (April 2022) stopped reporting county-level mortality data. This means that national figures are undercounts.

Map 2. Counties with COVID-19 Deaths

